

Fuelled by LNG

 **SIEM**
Car Carriers

SIEM CONFUCIUS

Global Transport Label

Lieferanteninfo für GTL-Belegpositionierungen (Ergänzung zur AVV)

Supplier information GTL document positioning (addition to the AVV)

11.01.2022 / KL-MB/E

Vertraulichkeitsklasse: Public

Lieferanteninfo für GTL-Belegpositionierungen (Ergänzung zur AVV)

Supplier information GTL document positioning (addition to the AVV)

Deutsch

Grundsätzlich sind zwei GTL am Behälter anzubringen!

Ein GTL an der langen (breiten) und ein GTL an der kurzen (schmalen) Seite.

Falls am Behälter keine Befestigungsvorrichtungen vorhanden sind, sind die Label immer im oberen rechten Quadranten mittels Textilklebelementen anzubringen.

Siehe Beispiele auf der folgenden Seite.

Ausnahmen können bilateral zwischen Lieferant und Empfängerwerk vereinbart werden.

English

Basically, two GTLs are to be attached to the container!


One GTL on the long (wide) side and one GTL on the short (narrow) side.

If there are no fastening devices on the container, the labels must always be attached in the upper right square using textile adhesive dots.


See examples on the following page.

Exceptions can be agreed bilaterally between the supplier and the recipient plant.

Beispielanbringungen / Examples document holder



Beispielanbringungen / Examples document holder



Beispielanbringungen / Examples document holder

